

METALS

TRIM CATALOG

TRIM PLACEMENT PG.1

29 GA TRIM COVER PG.2

PG.3 Panel Profiles For 29 GA Profiles
PG.4 Tools & Materials Needed
PG.5 - 8 Trim Profiles

26 GA TRIM COVER PG.9

PG.10 26 Ga Panel Profile
PG.11 Tools & Materials Needed
PG.12 - 14 Trim Profiles

STANDING SEAM TRIM COVER PG.15

PG.16 Standing Seam Profiles
PG.17 Tools & Materials Needed
PG.18 - 19 Trim Profiles

BOARD & BATTEN TRIM COVER PG.20

PG.21 Standing Seam Profiles
PG.22 Tools & Materials Needed
PG.23 - 24 Trim Profiles

HOW TO ORDER CUSTOM TRIM PG.25

METAL COLOR



PG.26-28 COLOR OPTIONS


NOTES PG.29

We understand that choosing the right materials is crucial for the success of any building endeavor. That's why we are dedicated to providing exceptional customer service and support throughout the entire process. From the initial consultation to the final installation, our knowledgeable team is here to assist you in selecting the best products for your specific needs.



Trim Placement





METALS

29 GAUGE

TRIM CATALOG

Tin ManRIB


Tough steel construction makes the Tin Man Rib Panel an economical yet durable metal roofing or metal siding solution for residential, industrial and commercial structures. 29 gauge and 26 gauge option.

Exposed fastener panel

Multi-purpose, which makes them great for siding too

Available in lengths of 3' through 40'

29 gauge painted Galvalume



TIN MAN APEX PANEL

Tough steel construction makes the Tin Man Rib Panel an economical yet durable metal roofing or metal siding solution for residential, industrial and commercial structures. 29 gauge and 26 gauge option



3' COVERAGE

3/4" RIB

Replicates Standing Seam Half The price
Exposed Fastener

Applies Over Open Frame Solid Surface Recommended
Minimun roof 3:12

29 gauge painted Galvalume



5V CRIMP METAL



The durable 5V Crimp metal panel offers a traditional look that has become popular with customers. These panels are durable and long-lasting making them an excellent option for residential and agricultural buildings.

Applications - Roof
Coverage Width - 24"

Rib Height - 1/2"










Panel Attachment - Exposed Fastening System

Gauge - 29




Tools and Materials Needed

Before starting the installation, gather all necessary tools and materials. This ensures a smooth workflow and reduces interruptions. Essential items include:

	METAL ROOFING PANELS & TRIM PIECES
	SAFETY HARNESS AND LADDER
	UNDERLAYMENT
	ROOFING SCREWS WITH RUBBER WASHER
	ROOFING NAILS
	METAL SNIPS OR A CUTTING TOOL
	MEASURING TAPE
	CAULKING GUN WITH METAL ROOFING SEALANT
	CORDLESS POWER DRILL WITH HEX HEAD FOR ROOFING SCREWS


29 GAUGE TRIM CATALOG

Ridge Cap 12"




STANDARD LENGTH 10' 2"

Ridge Cap 20"




STANDARD LENGTH 10' 2"

Hip Cap 12"




STANDARD LENGTH 10' 2"

W-Valley




STANDARD LENGTH 10' 2"

Narrow Outside Corner




STANDARD LENGTH 10' 12' 14' 16'

Outside Corner




STANDARD LENGTH 10' 12' 14' 16'

Combo Corner




STANDARD LENGTH 10' 2"

Residential Gable/Rake




STANDARD LENGTH 10' 2"

Gable Trim



STANDARD LENGTH 10' 2"


StepRake



STANDARD LENGTH 10' 2"


29 GAUGE TRIM CATALOG

Side Wall Flashing




STANDARD LENGTH 10' 2"

4" Side Wall Flashing




STANDARD LENGTH 10' 2"

Step Side Wall Flashing




STANDARD LENGTH 10' 2"

INSIDE CORNER




STANDARD LENGTH 10' 2"

Eave Drip 2.5




STANDARD LENGTH 10' 2"

House 1.5 Eave Drip




STANDARD LENGTH 10' 2"

J Channel




STANDARD LENGTH 10' & 12'

1.5" x 1.5" Angle




STANDARD LENGTH 10' 2"

Door Track Cover



STANDARD LENGTH 10' 2"


Double Door Track Cover




STANDARD LENGTH 10' 2"

29 GAUGE TRIM CATALOG


Drip Flashing




End wall Flashing




Transition Flashing




Gambrel Flashing




3" x 3" Angle




Fascia Eave Trim




Rat Guard



Double Angle Flashing




Overhead Door Trim




29 GAUGE TRIM CATALOG

1.5"x 3.5" / 5.5" / 7.5" Angle




STANDARD LENGTH 10' 2"

Snow Jack




STANDARD LENGTH 10' 2"

F & J Trim




STANDARD LENGTH 10' 2"

Custom Eave Soffit




STANDARD LENGTH 10' 2"

Custom Gable Soffit




STANDARD LENGTH 10' 2"

Fascia Eave Trim




STANDARD LENGTH 10' 2"

Base Mold



STANDARD LENGTH 10' 2"

Fascia



STANDARD LENGTH 10' 2"


Custom Bends Also Available

26 GAUGE HI-RIB

TRIM

26 GAUGE HI-RIB


For commercial and industrial projects, this deep rib panel is a great fit. The 26 gauge steel of the PBR panel creates a strong panel that is enhanced by a purlin bearing leg. It is available either unpainted or finished with a high-performance Enduracote paint system.



Exposed fastener system

Minimum pitch recommended 1:12

26g, 1 1/4" rib height




Tools and Materials Needed

Before starting the installation, gather all necessary tools and materials. This ensures a smooth workflow and reduces interruptions. Essential items include:

	METAL ROOFING PANELS & TRIM PIECES
	SAFETY HARNESS AND LADDER
	UNDERLAYMENT
	ROOFING SCREWS WITH RUBBER WASHER FOR WOOD OR STEEL
	ROOFING NAILS AND POP RIVETS
	METAL SNIPS OR A CUTTING TOOL
	MEASURING TAPE
	CAULKING GUN WITH METAL ROOFING SEALANT
	CORDLESS POWER DRILL WITH HEX HEAD FOR ROOFING SCREWS


26 GAUGE HI RIB

HI-RIB Ridge Cap




STANDARD LENGTH 10' 2"

HI-RIB CORNER




STANDARD LENGTH 10' 2"

HI-Rib Transition Flashing




STANDARD LENGTH 10' 2"

HI-RIB Gable/Rake




STANDARD LENGTH 10' 2"

HI-Rib W-Valley




STANDARD LENGTH 10' 2"

HI-Rib Drip Edge




STANDARD LENGTH 10' 2"

HI-Rib Rat Guard




STANDARD LENGTH 10' 2"

HI-Rib Double Angle Flashing



STANDARD LENGTH 10' 2"

HI-Rib Drip Flashing



STANDARD LENGTH 10' 2"


HI-Rib Fascia Eave Trim



STANDARD LENGTH 10' 2"


26 GAUGE HI RIB

HI-RIB J Channel




STANDARD LENGTH 10' & 12'

HI-RIB CORNER




STANDARD LENGTH 10' 2"

HI-Rib Gambrel Flashing




STANDARD LENGTH 10' 2"

HI-RIB Gable/Rake




STANDARD LENGTH 10' 2"

HI-Rib Step Side Wall




STANDARD LENGTH 10' 2"

HI-Rib Drip Edge



STANDARD LENGTH 10' 2"

Commercial Rake




STANDARD LENGTH 10' 2"

Custom Bend Also Available


26 GAUGE HI RIB

Hang On Gutter




STANDARD LENGTH 10' 2"

Eave Gutter



STANDARD LENGTH 10' 2"


HI-Rib Transition Flashing



Field Prep


STANDARD LENGTH 10' 2"

HI-RIB Gable/Rake




STANDARD LENGTH 10' 2"

Down Spout Strap




STANDARD LENGTH 10' 2"
Field Prep

Gutter End



Field Prep



METALS

STANDING SEAM

TRIM

Tools and Materials Needed



Before starting the installation, gather all necessary tools and materials. This ensures a smooth workflow and reduces interruptions. Essential items include:

	<p>METAL ROOFING PANELS & TRIM PIECES</p>
	<p>SAFETY HARNESS AND LADDER</p>
	<p>UNDERLAYMENT</p>
	<p>PANCAKE SCREWS & CLIPS CLIPS ARE FOR S2000 PANEL</p>
	<p>ROOFING NAILS AND POP RIVETS</p>
	<p>METAL SNIPS OR A CUTTING TOOL</p>
	<p>MEASURING TAPE</p>
	<p>CAULKING GUN WITH METAL ROOFING SEALANT</p>
	<p>CORDLESS POWER DRILL & PHILLIPS BIT</p>
	<p>FOLDING TOOLS</p>

A1100 Metal Roof System

The A1100 metal roof panel is a 1 ¼" high standing seam metal roof system. This snap-lock architectural metal roof panel offers the designer an architectural solution by creating clean roof lines with a minimum of shadows and textures. With concealed clips and fasteners, it requires no mechanical seaming or separate seam cap.

Ideal for sloped roofs and exterior surfaces of light commercial and residential projects. The A1100 metal roofing panel is also available in a wide variety of coatings and colors.




S2000 Metal Roof System

The S2000 metal roof panel is a 1 ¾" integral snap-lock metal roof system. Most popular metal roof system, this metal roof panel combines architectural versatility (for cleanly detailed, continuous seam transitions from roof to mansard, fascia, wall panel or soffit)


with the dramatically increased spanning and uplift capabilities of a structural metal roof system.

The S2000 structural metal roof panel is also available in a wide variety of coatings and colors.



STANDING SEAM


Eave drip



Requires Cleat & Offset Cleat


STANDARD LENGTH 10' 2"

Cleat




STANDARD LENGTH 10' 2"

Offset Cleat



STANDARD LENGTH 10' 2"


Extended Eave



Requires Cleat

STANDARD LENGTH 10' 2"


Gable Rake



Requires Z Closure

STANDARD LENGTH 10' 2"


Mini Gable Rake



Requires Z Closure

STANDARD LENGTH 10' 2"


Step Rake



Requires Cleat


STANDARD LENGTH 10' 2"

Counter Flashing



STANDARD LENGTH 10' 2"


Step Side Wall



Requires Counter Flashing

STANDARD LENGTH 10' 2"

Side Wall




Requires Z Closure & Offset Cleat

STANDARD LENGTH 10' 2"

STANDING SEAM


Ridge Cap



Requires Z Closure

STANDARD LENGTH 10' 2"


20" Ridge Cap



Requires Z Closure

STANDARD LENGTH 10' 2"


Hip Cap



Requires Z Closure

STANDARD LENGTH 10' 2"


Z- Closure



Requires Z Closure


STANDARD LENGTH 10' 2"

Peak Flashin




STANDARD LENGTH 10' 2"

Transition Flashin



Requires Z Closure & Offset Cleat


Gambrel Flashing



Requires Z Closure & Offset Cleat

STANDARD LENGTH 10' 2"


End Wall Flashing



Requires Z Closure & Offset Cleat

STANDARD LENGTH 10' 2"


W- Valley



Requires Offset Cleat

STANDARD LENGTH 10' 2"

Reglet Flashing



STANDARD LENGTH 10' 2"



TIN MAN

METALS

BOARD & BATTEN

TRIM

Board & Batten

Metal Batten siding seamlessly blends time-honored aesthetics with modern technology, offering the ultimate solution in exterior cladding. Crafted with a robust $\frac{3}{4}$ " x 2" metal batten, our metal siding replicates the authentic appearance of traditional wood board and batten siding. This durable metal board and batten siding offers longevity and eliminates the hassle of frequent painting, making it a low-maintenance option for the contemporary homeowner.

No Maintenance - No need to stain, paint, or seal


Limited 40 year paint warranty

Fire resistant

Termite and pest resistant










Cost about the same as wood

Wood Textured Panel




Tools and Materials Needed

Before starting the installation, gather all necessary tools and materials. This ensures a smooth workflow and reduces interruptions. Essential items include:

	METAL ROOFING PANELS & TRIM PIECES
	SAFETY HARNESS AND LADDER
	UNDERLAYMENT
	PANCAKE SCREWS & CLIPS CLIPS ARE FOR S2000 PANEL
	ROOFING NAILS AND POP RIVETS
	METAL SNIPS OR A CUTTING TOOL
	MEASURING TAPE
	CAULKING GUN WITH METAL ROOFING SEALANT
	CORDLESS POWER DRILL & PHILLIPS BIT


BOARD & BATTEN TRIM CATALOG

Jeff Channel




STANDARD LENGTH 10' 2"

Z Bar



STANDARD LENGTH 10' 2"


Outside Corner



STANDARD LENGTH 10' 2"

Requires J - Metal or End Wall Flashing


Inside Corner



STANDARD LENGTH 10' 2"


Requires J - Metal or End Wall Flashing

J - Metal No Hem




STANDARD LENGTH 10' 2"

End Wall Z Flashing No Hem




STANDARD LENGTH 10' 2"

J Channel Full Return




STANDARD LENGTH 10' 2"

Square Base




STANDARD LENGTH 10' 2"

Flat Base




STANDARD LENGTH 10' 2"

Drip Flashing




STANDARD LENGTH 10' 2"

Door Post Trim



STANDARD LENGTH 10' 2"


3 1/2" Band Board



STANDARD LENGTH 10' 2"


BOARD & BATTEN TRIM CATALOG

J Channel




STANDARD LENGTH 10' 2"

Z Bar




STANDARD LENGTH 10' 2"

5 1/2" Band Board




STANDARD LENGTH 10' 2"

Utility Trim




STANDARD LENGTH 10' 2"

Side And Bottom Window Trim




STANDARD LENGTH 10' 2"

Splice Trim




STANDARD LENGTH 10' 2"

Rat Guard




STANDARD LENGTH 10' 2"

Top Window Trim




STANDARD LENGTH 10' 2"

B&B Outside Corner



STANDARD LENGTH 10' 2"


B&B Inside Corner




STANDARD LENGTH 10' 2"

HOW TO ORDER CUSTOM TRIM


DRAW THE TRIM AS ACCURATELY AS POSSIBLE




LABEL EACH AREA WITH THE DESIRED DIMENSIONS IN INCHES.




SPECIFY THE DESIRED ANGLES FOR THE TRIM



SPECIFY THE DESIRED PAINTED/FINISHED SIDE OF THE TRIM




SPECIFY THE DESIRED QTY & COLOR OF THE TRIM




COLOR : CHARCOAL
QTY: 12

Cool Chemistry® - Coil Coating System




White



Lightstone



Red



Black




Tan



★ Bright Red



Gray



Brown



★ Dark Red



Charcoal




Forest Green



Blue




Burnished Slate



Burgundy



★ Gallery Blue



★ Copper Penny



Galvalume


*TSR = Total Solar Reflectance

*Actual colors may vary from samples shown. Actual color chips available upon request.

CERAM-A-STAR® 1050

STANDARD COLORS

G: Galvalume HDG: Hot Dip Galvanized



Light Stone WXD0080T




Coca Brown WXB1037T




Hawaiian Blue WXL0037T




Charcoal WXA0111T




Ash Gray WXA0126T




Rural Red WXR0085T




Evergreen WYG0034T




Black WXA0157T




Timber Tan WXD0086T



Burnished Slate WXB1017T




Burgundy WXR0099T




Rustic Red WXR0128T


PREMIUM COLORS




Silver Sage WYG0054T




Rust WXR0105T



Gallery Blue WXL0048T



Forest Green WYG0048T



Dark Brown WXB1052T

The colors shown are for sample purposes only. This is a unique appearance coating that needs to be seen. Please request an actual color sample from our color experts.

WeatherXL




PREMIUM COLORS




Distressed Gray Barn wood




Gray Wash Barn wood




Black Burnt Wood



Charcoal Burnt Wood



Zebrawood



Rough Sawn Cedar Gray



Rough Sawn Cedar Distressed



Rough Sawn Cedar Taupe



Chippy White




Primitive Pine



Golden Oak




Gray Oak




Hickory




Knotty Alder Plank




Dark Oak



Cedar




Rough Sawn Cedar




Rough Sawn Cedar Dark Brown




Rough Sawn Cedar Gray



Barn Wood Plank



Pecky Cypress



Walnut




Medium Oak



Realtree® Camouflage

Would You Believe It's Steel?



Mossy Oak® Camouflage

A series of horizontal lines for writing, starting with a thick line at the top followed by many thin lines.



TIN MAN

METALS

LOCATIONS:

67 TECH WAY STANFORD, KY

PH: (606) 365-7779

FX: (606) 365-7774

22504 Alberta St, Oneida, TN 37841

PH: (423) 569-2685

FX: (423) 569-2689

WWW.TinManMetals.com



Find us on

facebook